A.M.A. Archives of DERMATOLOGY

DECEMBER 1956
VOLUME 74 NUMBER 6

INDEX TO A. M. A. ARCHIVES OF DERMATOLOGY
FOR THE PERIOD
JULY THROUGH DECEMBER, 1956

AMERICAN MEDICAL ASSOCIATION Publication

UMI

THIS INDEX consists of two parts: Author and Title Index and Subject Index. A Table of Contents is not included, and subscribers who want one in the bound volume should arrange to have the Table of Contents of each of the six issues of this volume included among the pages to be bound.

UMI

AUTHOR AND TITLE INDEX TO VOLUME 74

In this Index in alphabetical order are the names of the authors of all articles and the presenters of cases in Society Transactions, followed by the title of the article or case presented and the page numbers on which their articles or cases begin. The asterisk (*) preceding the page number indicates an original article, case report, review article, special article, or scientific exhibit.

For Subject Index see page 715.

A

Aaron, J. N.: See Walton, R., jt. auth.

Agarwal, S. C.: Extramedullary plasmacytoma: report of case, 679

Allington, R. R.: Nonspecific granuloma, 109

Andrews, G. C.: Kaposi's idiopathic hemorrhagic sarcoma, 442
Tuberculosis verrucosa cutis, 441
Xanthoma tuberosum multiplex (familial), 440

Angulo, J. J.; Salles-Gomes, L. F., and Tartari, J. T. A.: Atypical form of chicken pox with varioloid-like rash: presentation of case with laboratory confirmation of diagnosis, *338

Anhalt, A. W.: See Forsey, R. R., jt. auth.

Armstrong, G. E.: The George Miller MacKee chair of dermatology and syphilology: remarks at the dedication ceremony at New York University-Bellevue Medical Center, *1

Ashley, M.: See Marmor, J., jt. auth.

Ayres, S., III: See Wilson, J. W., jt. auth.

B

Backus-Jordan, C.: Malignant melanoma, 105

Baer, R. L.: See Rogachefsky, H., jt. auth.

Bain, G. O., and Shnitka, T. K.: Cutaneous meningioma (psammoma): report of case, *590

Barker, L. P.: Granulomatous panniculitis, 100
Squamous- and basal-cell epitheliomas in epidermolysis bullosa (dystrophic type), 446

Barnes, G. S.: See Levy, S. W., jt. auth.

Barsky, S.: See Cornbleet, T., jt. auth.

Beal, P. L.: Case for diagnosis: acrokeratosis verruciformis (Hopf), 109

Bean, W. B., and Walsh, J. R.: Venous lakes, *459

Becker, L.: See Neuhauser, I., jt. auth.

Becker, S. W.: See Storkan, M. A., jt. auth.

Becker, S. W., Jr.: See Rubin, L., jt. auth.

Beirne, G. A., and Wheeless, J.: Xeroderma pigmentosum, 112

Binkley, G. W.: See DeOreo, G. A., jt. auth.

Bluefarb, S. M.; Walik, S., and Del Busto, C.: Peutz-Jehgers syndrome? 218
Walik, S., and Gecht, M. L.: Red cell aplasia with hemochromatosis, 694
Walik, S., and Hoit, L.: Healing pyoderm with chronic lymphatic leukemia, 693

Brandt, R., and Plotnick, H.: Multiple cutaneous and subcutaneous sarcoid-like foreign-body granulomas: report of case with parallel course in various sites, *128

Brennan, B. B.: See Rostenberg, A., Jr., jt. auth.

Brodey, A.: Tuberculosis cutis? sarcoidosis? 566

Brown, A. S.: See Keddie, F., jt. auth.

Brunsting, H. A., and Eyster, W. H., Jr.: Allergic granulomatosis, 318
and Eyster, W. H., Jr.: Disseminated nevoxanthoendothelioma, 320

Brunsting, L. A.: See Christianson, H. B., jt. auth.
See Erickson, J. G., jt. auth.
See Perry, H. O., jt. auth.

Buchholz, A.: Treatment of chondrodermatitis helicis with local injections of hydrocortisone, 547

Bundick, W. R.: See Ellis, F. E., jt. auth.

Burks, J. W., Jr.; Jung, R., and George, W. M.: Norwegian scabies, *131

Burstein, H. J.: Lymphangioma circumscriptum with congenital unilateral lymphedema, 689

Butterworth, T.: Corns on buttocks, 202
Neurofibrosarcoma: report of case in 7-year-old girl, *457
and German, J. E.: Acanthosis nigricans limited to the public area, 107

C

Canizares, O.: Contact dermatitis due to acrylic materials used in artificial nails, *141
Dermatology in Latin America, *648
and Cipollaro, A. C.: Angioneurotic edema causing unilateral exophthalmos, 444

Caro, M. R.: See Kersting, D. W., jt. auth.

Christianson, H. B.; Brunsting, L. A., and Perry, H. O.: Dermatomyositis: unusual features, complications, and treatment, *581
Dorsey, C. S.; O'Leary, P. A., and Kierland, R. R.: Localized scleroderma: clinical study of 235 cases, *629
and Perry, H. O.: Reactions to chloral hydrate, *232

Cipollaro, A. C.: A case for diagnosis: sarcoid? giant-cell granuloma? 697
Previously recurrent basal-cell epithelioma, showing results 1 year after treatment with x-rays, 564
Sarcoidosis, 697
See Canizares, O., jt. auth.

Conard, R. A. and Tessmer, C. F.: Beta radiation lesion of the skin, *663

Cormie, R. L.: Hemangioendothelioma, *144

Cornbleet, T.: Painful, recurrent onychomadesis of thumb with psoriasis, 217
Barsky, S., and Hoit, L.: Discoid lupus erythematosus scars treated by plastic surgery, 219

Costello, M. J.: Keratoconjunctivitis and keratitis with partial and complete blindness, as sequela of Stevens-Johnson syndrome (erythema bullosum malignans), 444
Rosacea associated with ocular manifestations, 695

Crissey, J. T., and Murray, P. F.: Comparison of chloroquine and gold in treatment of lupus erythematosus, *69

Curth, W.: Granulomatosis disciformis (Miescher), 685

Curtis, A. C.: See Hahn, R. D., jt. auth.
See Knox, J. M., jt. auth.
See Laubenheimer, R., jt. auth.
See Sheldon, S. A., jt. auth.

Cutler, J. C.: See Hahn, R. D., jt. auth.

D

Del Busto, C.: See Bluefarb, S. M., jt. auth.

DeOreo, G. A.; Johnson, H. H., Jr., and Binkley, G. W.: Eczematous reaction associated with molluscum contagiosum, *344

Demonkos, A. N.: Lichen planus hypertrophicus—results of treatment, 563

Dorsey, C. S.: See Christianson, H. B., jt. auth.

Doucette, J.: See Trimble, J. R., jt. auth.

E

Edelstein, A. J.: Urticaria pigmentosa with bone changes, 676

Ellis, F. E., and Bundick, W. R.: Cutaneous elasticity and hyperelasticity, *22

Eng, N.-I. T.: See Joe, L. K., jt. auth.

Epstein, E.: Linear segmental atrophy, *411
Planing for precancerous skin, 312
Sickle-cell anemia, 448

Erickson, G.: See Sidell, C., jt. auth.

Erickson, J. G.; Hines, E. A., Jr.; Pease, G. L., and Brunsting, L. A.: Rheumatoid and lupus-erythematosus-like syndromes: complications of hydralazine (Apresoline) therapy for hypertension, *640

Everett, M. A.: See Knox, J. M., jt. auth.
and Harrell, E. R., Jr.: Hyperlipemia with renal failure due to systemic lupus erythematosus, *464

Eyster, W. H., Jr.: See Brunsting, H. A., jt. auth.

F

Fasal, P.: Epidermolysis bullosa, 114

Ferguson, E. H.: See Rothman, S., jt. auth.

Finn, O. A.: See Rogers, J., jt. auth.

Finnerud, C. W., and Szymanski, F. J.: Granuloma annulare, 213

Fisher, A. A.: Case for diagnosis: migrating phlebitis? erythemia nodosum? polyarteritis nodosa? 212
Melanosis of the legs and feet, 687
Urticaria pigmentosa, 209

Fisher, E. R.: Malignant blue nevus, *227

Fisher, I.: Pemphigus vulgaris: correlation of clinical and microscopic observations, *50

Fitzpatrick, T. B.: See Saunders, T. S., jt. auth.

Flatt, R.: See Preston, R. H., jt. auth.

Fliegelman, M. T.: See Loveman, A. B., jt. auth.

Forsey, R. R., and Anhalt, A. W.: Hydrocortisone in treatment of localized myxedema, *352

Franks, A. G., and Taschdjian, C. L.: Incidence and etiology of tinea capitis: special reference to Trichophyton tonsurans, *349
Taschdjian, C. L., and Gutierrez, G. T.: Onychomycosis due to Scopulariopsis brevicaulis: case concurrent with dermatophytosis and infestation with Tyroglyphid mite, *241

Fried, S.: See Pascher, F., jt. auth.

G

Gammon, G.: See Hahn, R. D., jt. auth.

Gaulden, E. C.: See Wirtschafter, Z. T., jt. auth.

Gecht, M. L.: See Bluefarb, S. M., jt. auth.
See Webster, J., jt. auth.

Georg, L. K.: See Torres, G., jt. auth.

George, W. M.: See Burks, J. W., Jr., jt. auth.

German, J. E.: See Butterworth, T., jt. auth.

Getz, K.; Pease, G. L., and Montgomery, H.: Evaluation of cutaneous smears in lymphoblastomas of the skin, *86

Gibson, S. H., and Perry, H. O.: Diabetes and psoriasis, *487

Ginsberg, J., and Sutton, C.: Generalized lentigines, 691

Gleeson, G. A.: See Hahn, R. D., jt. auth.

Glick, H. V., and Rein, C. R.: A new culture medium for candidiasis, 678

Goldman, L., and Preston, R.: Protection during high-speed abrasion of nails, 95
Preston, R. H., and Muegel, H. R.: Dermatitis venenata from English ivy (Hedera helix), 311

Goldman, P.: See Pinkus, H., jt. auth.

Goldschmidt, H.: See Niedelman, M. L., jt. auth.

Grauer, F. H.: See Lorincz, A. L., jt. auth.

Greco, D. J.: See Wright, E. T., jt. auth.

Green, W. S., and Underwood, L. J.: Cutaneous beryllium granuloma? 562

Gross, P.: Koebner phenomenon in its relationship to photosensitivity, *43

Gutierrez, G. T.: See Franks, A. G., jt. auth.

H

Haeberlin, J. B., Jr.: See Senear, F. E., jt. auth.

Hahn, R. D.; Cutler, J. C.; Curtis, A. C.; Gammon, G.; Heyman, A.; Johnwick, E.; Stokes, J. H.; Solomon, H.; Thomas, E.; Timberlake, W.; Webster, B., and Gleeson, G.: Penicillin Treatment of asymptomatic central nervous system syphilis: I. probability of progression to symptomatic neurosyphilis, *355
Cutler, J. C.; Curtis, A. C.; Gammon, G.; Heyman, A.; Johnwick, E.; Stokes, J. H.; Solomon, H.; Thomas, E.; Timberlake, W.; Webster, B., and Gleeson, G. A.: Penicillin treatment of asymptomatic central nervous system syphilis: II. results of therapy as measured by laboratory findings, *367

Haight, F., and Schreider, J. E.: Erythema annulare centrifugum, 112

Halde, C., and Ringrose, E. J.: Mycetoma originating in Northern California: disease caused by fungus resembling Nocardia madurae, *80

Hall, F.: Ringed hair (pili annulati), 325

Hall, F. R.: Cultures and findings in 200 cases of dermatophytosis of feet, *306

Harrell, E. R., Jr.: See Everett, M. A., jt. Auth.
See Sheldon, S. A., jt. auth.

Hexter, G. F.: See Keddie, F., jt. auth.

Heyman, A.: See Hahn, R. D., jt. auth.

Higdon, R. S.: Intertriginous moniliasis in the Far East Command, *620

Hines, E. A., Jr.: See Erickson, J. G., jt. auth.

Hoit, L.: See Bluefarb, S. M., jt. auth.
See Cornbleet, T., jt. auth.

Howell, J. B.: Lymphadenosis benigna cutis? disseminated form (bafverstedt), 691

Hubbard, T. F.: See Koszewski, B. J., jt. auth.

Hubener, L. F.: See McMullan, F. H., jt. auth.

Huff, S.: See Webster, J., jt. auth.

I

Ingraham, N. R., and Jackson, E.: Case for diagnosis: scleroderma? porphyria cutanea tarda? lichen sclerosus et atrophicus? pediculosis capitis, 106

Irgang, S.: Allergic cutaneous vasculitis: report of unique case, *595
Nodular vasculitis: report of a case with clinical resemblance to papulonecrotic tuberculid, 673
Nodular vasculitis: report of 2 cases of plaque type associated with hypertension, *245

J

Jackson, E.: See Ingraham, N. R., jt. auth.

Jillson, O. F., and Lyle, J. S.: Yeast vulvovaginitis: its successful treatment by nystatin (Mycostatin), *489

Joe, L. K.; Eng, N.-I. T.; Pohan, A., and van der Meulen, H.: Basidiobolus ranarum as cause of subcutaneous mycosis in Indonesia, *378

Johnson, H. H., Jr.: See DeOreo, G. A., jt. auth.

Johnson, S. A. M., and Tuura, J. L.: Glyceryl triacetate (Triacetin) as a fungicide, *73

Johnston, J. H.: See Levin, H. M., jt. auth.

Johnwick, E.: See Hahn, R. D., jt. auth.

Joseph, H. L.: Adiposis dolorosa (Dercum's disease), 332
Epithelioma adenoides cysticum with basal-cell carcinoma, 113

Jung, R.: See Burks, J. W., Jr., jt. auth.

K

Kalz, F., and Scott, A.: Cutaneous changes during menstrual cycle: clinical and experimental study under physiological condition and after therapy, *493

Kanof, N. B.: Anglokeratoma, 437
Protection of skin against harmful effects of sunlight: topical and systemic measures, *46

Keddie, F.; Hexter, G. F., and Brown, A. S.: Treatment of cutaneous fungus infections with phenylsalicylamide derivative, *504

Kersting, D. W., and Caro, M. R.: Cellular blue nevus of Ota followed for 22 years, *59

Kesten, B. M.: Photosensitivity in various dermatoses: lupus erythematosus, urticaria due to light, and polymorphic light eruptions, *40

Key, M. M., and Nelson, C. T.: Exfoliative dermatitis associated with hypogammaglobulinemia, *333

Kierland, R. R.: See Christianson, H. B., jt. auth.
See Winkelmann, R. K., jt. auth.

Kimmich, J. M.: See Klauder, J. V., jt. auth.

Klauder, J. V.: Cutaneous diseases of animals, 568
and Kimmich, J. M.: Sensitization dermatitis to carrots: report of cross-sensitization phenomenon and remarks on phytophoto-dermatitis, *149

Kligman, A. M.: See Strauss, J. S., jt. auth.

Knox, J. M.; Everett, M. A., and Curtis, A. C.: New uses for surface-active agents, 699

Kost, L. B.: See Lane, C. W., jt. auth.

Koszewski, B. J., and Hubbard, T. F.: Congenital anemia in hereditary ectodermal dysplasia, *159

Kozikowski, E. S.: Pyoderma gangrenosum secondary to insect bite, 220

Kral, F.: Dermatoses in animals similar to those in man, 571

Kuhn, B. H.: Finaf, a new cutaneous fungicide, *627

L

Lane, C. W., and Kost, L. B.: Sensitivity to artificial nails, 671

Langley, R. A.: Introduction to cytodiagnosis for dermatologists, *416

Lascheid, W. P.: See Piraino, A. F., jt. auth.

Laubenheimer, R., and Curtis, A. C.: The chemosurgical treatment of far-advanced cutaneous carcinoma, *659

Lazar, M. P.: Erythema figuratum perstans (Wende) or erythema annulare centrifugum (Darier) associated with squamous-cell epithelioma arising from epidermal cyst, 214

Leavitt, H. M.: Cutaneous papillomatosis (confluent and reticulated variety, Gougerot and Carteaud), 103

Leider, M.: Sarcoidosis: case that is argument for tuberculosus causation from fulfillment of one of Koch's postulates, 434

Levin, H. M., and Johnston, J. H.: Leukemic ulcer of penis, 428

Levy, S. W., and Barnes, G. S.: Verrucous hyperplasia of amputation stump, 448

Lewis, G. M.: Lupus miliaris disseminatus faciei, 696

Litt, J. Z.: See Rogachefsky, H., jt. auth.

Lockwood, J. H.: See Nickel, W. R., jt. auth.
See Pappenfort, R. B., jt. auth.

Lorincz, A. L., and Grauer, F. H.: Simultaneous dyshidrosis in monozygotic twins during their separation, *250

Loveman, A. B., and Fliegelman, M. T.: Dermatitis medicamentosa: reaction from hydrocortisone suspension vehicle (sodium carboxymethyl cellulose), 426

Luikart, R., II: See Wilson, J. W., jt. auth.

Luscombe, H. A.: Fox-Fordyce disease, 103
Riboflavin in psoriasis, 548
and Pastras, T.: Incontinentia pigmenti, 102

Lyle, J. S.: See Jillson, O. F., jt. auth.

Lynch, J. L.: Psoriasis vulgaris? 556

Mc

McCabe, R. J.: Studies with local use of furfuryl ester of nicotinic acid, *522
and Preston, R. H.: Failure of dermabrasion in nevus unius lateris, 681

McCuistion, C. H., and Schoch, E. P., Jr.: Autopsy findings in lichen myxedematosus, *259

McDonald, F.: See Marmor, J., jt. auth.

McGrath, J. T.: Neoplasms of skin and adnexa in domestic animals, 569

McMullan, F. H., and Hubener, L. F.: Malignant melanoma: statistical review of clinical and histological diagnoses, *618

M

Machacek, G. F.: Melkersson-Rosenthal's syndrome, 440
Multiple recurrent keratoacanthomas (familial self-healing squamous-cell epitheliomatosis), 445

Malagon, V., and Taveras, J. E.: Congenital anhidrotic ectodermal and mesodermal dysplasia: report of 2 cases with atrichia and amastia, *253

Malkinson, F. D., and Priestley, J. O.: Sarcoid reaction—foreign body granuloma? 687

Mamelok, A. E.: See Weidman, A. I., jt. auth.

Marmor, J.; Ashley, M.; Tabachnick, N.; Storkan, M., and McDonald, F.: Mother-child relationship in genesis of neurodermatitis, *599

Meltzer, L.: Spiegler-Fendt sarcoid: report of case, 669

Mihan, R.: See Obermayer, M. E., jt. auth.
See Steffen, C. G., jt. auth.

Moffatt, J. L.: See Rook, A., jt. auth.

Montgomery, H.: See Getz, K., jt. auth.
See Prunieras, M., jt. auth.
See Winkelmann, R. K., jt. auth.

Muegel, H. R.: See Goldman, L., jt. auth.

Murphy, E. L.: Noduloulcerative syphiloderm with leucoderma colli, 557

Murray, P. F.: See Crissey, J. T., jt. auth.

N

Nelson, C. T.: Leucoderma acquisitum centrifugum (perinevoid vitiligo), 328
See Key, M. M., jt. auth.

Nelson, L. M.: Acquired depigmentation around dilated pore, 549

Neuhauser, I., and Becker, L.: Favus, 218

Nickel, W. R., and Lockwood, J. H.: Congenital ectodermal dysplasia with associated mesodermal defects, 327

Niedelman, M. L., and Goldschmidt, H.: Multiple Charcot joints, 106

O

Obermayer, M. E., and Mihan, R.: Melanogenuria associated with melanotic skin lesions: ochrinosis? 322

Oettle, A. G.: Rodent ulcers in identical twins, *167

O'Leary, P. A.: See Christianson, H. B., jt. auth.

Orfuss, A. J.: Aphthosis, 439
Pseudoacanthosis nigricans associated with obesity and endocrine dysfunction, 209
Tuberculoderm of face (lupus miliaris disseminatus faciei), 435
and Rosenbaum, E.: Scleroderma treated with Aralen, 435

Osbourn, R. A., and Tusing, T. W.: Multiple patch in place of individual patch in skin testing, 667

P

Palitz, L. L.: Reticulum-cell sarcoma, 436

Pappenfort, R. B., and Lockwood, J. H.: Amodiaquin (Camoquin) in treatment of chronic discoid lupus erythematosus: preliminary report, with special reference to successful response of patients resistant to other antimalarial drugs, *384

Pardo-Castello, V.: Dermatology in tropical rural zone: reference to occupational dermatoses, *115

Pascher, F.: Dermatologic service of New York Skin and Cancer Unit: yesterday and today, *5
and Fried, S.: Arthropathic psoriasis in a young boy, 686
and Sims, C. F.: Lupus erythematosus profundus, 438
and Wood, W. S.: Erythrodermic psoriasis in children: report of 2 cases, *173

Pastras, T.: See Luscombe, H. A., jt. auth.

Pease, G. L.: See Erickson, J. G., jt. auth.
See Getz, K., jt. auth.

Perry, H. O.: See Christianson, H. B., jt. auth.
See Gibson, S. H., jt. auth.
and Brunsting, L. A.: Porphyria cutanea tarda simulating dermatitis factitia: report of case, *198

Pinkus, H.; Rogin, J. R., and Goldman, P.: Eccrine poroma: tumors exhibiting features of epidermal sweat duct unit, *511

Piraino, A. F., and Lascheid, W. P.: Atopic eczema, 222, 223
and Lascheid, W. P.: Lichen simplex chronicus, 222
and Lascheid, W. P.: Lichen simplex chronicus on leg, 223
and Lascheid, W. P.: Xeroderma pigmentosum, 221

Plotnick, H.: See Brandt, R., jt. auth.
and Richfield, D.: Tuberous lymphangiectatic varices secondary to radical mastectomy, *466

Pohan, A.: See Joe, L. K., jt. auth.

Post, C. F.: Acrodermatitis continue, 323

Pratt, A. G.: Hyperkeratosis of heel caused by foreign body (hair), report of case, *469

Preston, R. H.: See Goldman, L., jt. auth.
and Flatt, R.: Intravenous hydrocortisone hemisuccinate and prednisolone hemisuccinate: their use in acute severe dermatological conditions, *613
See McCabe, R. J., jt. auth.

Priestley, J. O.: See Malkinson, F. D., jt. auth.

Prunieras, M., and Montgomery, H.: Histopathology of cutaneous lesions in systemic lupus erythematosus, *177

R

Rea, R. W.: See Storkan, M. A., jt. auth.

Rein, C. R.: See Glick, H. V., jt. auth.

Rian, O.: Ainhum, 690

Richfield, D.: See Plotnick, H., jt. auth.

Riley, J. F., and West, G. B.: Skin histamine: its location in tissue mast cells, *471

Ringrose, E. J.: Case for diagnosis: tuberculid en plaque; lichenoid tuberculid, 110
See Halde, C., jt. auth.

Rogachefsky, H.; Rosenthal, S. A.; Litt, J. Z., and Baer, R. L.: Trichophytin reaction after exposure to dermatophytes, *606

Rogers, J., and Finn, O. A.: Relapse in discoid lupus erythematosus treated with antimalarial drugs, *387

Rogin, J. R.: See Pinkus, H., jt. auth.

Rook, A., and Moffatt, J. L.: Multiple self-healing epithelioma of Ferguson Smith type: report of case of unilateral distribution, *525

Rosenbaum, E.: Actinic dermatitis with arsenical keratosis, 686

See Orfuss, A. J., jt. auth.

Rosenthal, S. A.: See Rogachefsky, H., jt. auth.

Rostenberg, A., Jr., and Brennan, B. B.: Migratory erythema: erythema annulare centrifugum? 213

Rothman, S., and Ferguson, E. H.: Melanosis of undertermined origin, 215

Rubin, A.: Reiter's disease, 330

Rubin, L., and Becker, S. W., Jr.: Pigmentation in Bloch-Sulzberger syndrome (incontinentia pigmenti), *263

S

Sachs, P.: Spiradenoma (?) or clear-cell hydradenoma (?) 565

Sagher, F.: See Shanon, J., jt. auth.

Salles-Gomes, L. F.: See Angulo, J. J., jt. auth.

Samuels, L.: See Stritzler, C., jt. auth.

Sanford, H. N.: See Senear, F. E., jt. auth.

Saunders, T. S., and Fitzpatrick, T. B.: Cutaneous leiomyoma: classification and report of solitary angioleiomyoma, *389

Schoch, E. P., Jr.: See McCuistion, C. H., jt. auth.

Schreider, J. E.: Acne surgery instrument, 96

See Haight, F., jt. auth.

Scott, A.: See Kalz, F., jt. auth.

Senear, F. E.; Haeberlin, J. B., Jr., and Sanford, H. N.: Pityriasis rubra pilaris in young siblings, 690

Shanon, J., and Sagher, F.: Sabra dermatitis: occupational dermatitis due to prickly pear handling simulating scabies, *269

Sheldon, S. A.; Harrell, E. R., and Curtis, A. C.: Results in treatment of vitiligo with 8-methoxypsoralen, *9

Shields, T. L., and Walsh, E. N.: "Kissing bug" bite, *14

Shnitka, T. K.: See Bain, G. O., jt. auth.

Sidell, C., and Erickson, G.: Porphyria cutanea tarda (chronic porphyria mixed), 560

Siegel, J. M.: Case for diagnosis: nodular urticaria pigmentosa? mycosis fungoides? early myelogenous leukemia? 104

Sims, C. F.: See Pascher, F., jt. auth.

Siskind, W. M.: Hairy nevus of scalp showing hair of color different from that of rest of scalp, 209

Smith, C. C.: Prednisolone ointment and hydrocortisone ointment: comparative effectiveness in dermatological therapy, *414

Smith, J. G., Jr.: Necrobiosis lipoidica: disease of changing concepts, *280

and Wansker, B. A.: Asteroid bodies in necrobiosis lipoidica, *276

Smith, O. D., and Swerdlow, M. A.: Histogenesis of basal-cell epithelioma, *286

Sokoloff, O. J.: Meprobamate (Miltown) as adjunct in treatment of anogenital pruritus, *393

Solomon, H., See Hahn, R. D., jt. auth.

Steffen, C. G.; Zimmerman, M., and Mihan, R.: Diphenhydramine hydrochloride as local anesthetic agent, *76

Stokes, J. H.: See Hahn, R. D., jt. auth.

Storkan, M.: See Marmor, J., jt. auth.

Rea, R. W., and Becker, S. W.: Poikilodermatomyositis associated with adenocarcinoma (bronchogenic?), 321

Strauss, J. S.: Seabather's eruption, *293

and Kligman, A. M.: Acne: observations on dermabrasion and anatomy of acne pit, *397

and Kligman, A. M.: Pseudofolliculitis of beard, *533

Stritzler, C.: Albright's disease, 685

Kerion of right eyebrow caused by Microsporum fulvum, 435

and Samuels, L.: Urticaria caused by sensitivity to saccharin, 433

Stroud, G. M.: Prurigo nodularis, 221

Stubbart, F. J.: Onycholysis of fingernails of beauticians due to imbedded hair, 430

Sullivan, C. N.: Familial benign chronic pemphigus (Hailey and Hailey), 329

Sulzberger, M. B.: Acceptance of George Miller MacKee chair of dermatology and syphilology, *2

See Witten, V. H., jt. auth.

Sutton, C.: See Ginsberg, J., jt. auth.

Swerdlow, M. A.: See Smith, O. D., jt. auth.

Swift, S.: Localized acne following deep x-ray therapy, 97

Serum anticoagulant factor in systemic lupus erythematosus, *296

Szymanski, F. J.: See Finnerud, C. W., jt. auth.

T

Tabachnick, N.: See Marmor, J., jt. auth.

Tartari, J. T. A.: See Angulo, J. J., jt. auth.

Taschdjian, C. L.: See Franks, A. G., jt. auth.

Taveras, J. E.: See Malagon, V., jt. auth.

Tessmer, C. F.: See Conard, R. A., jt. auth.

Thomas, E.: See Hahn, R. D., jt. auth.

Thompson, R. G.: Primary osteoma cutis: report of case simulating verruca plantaris, 204

Timberlake, W.: See Hahn, R. D., jt. auth.

Torre, D.: Dermabrasion with rasps, *615

Torres, G., and Georg, L. K.: Human case of Trichophyton gallinae infection: disease contracted from chickens, *191

Traub, E. F.: Case for diagnosis: angioblastoma? endothelioma? 694

Colloid degeneration, 100

Trimble, J. R., and Doucette, J.: Primary cutaneous coccidioidomycosis: report of case of laboratory infection, *405

Tusing, T. W.: See Osbourn, R. A., jt. auth.

Tuura, J. L.: See Johnson, S. A. M., jt. auth.

U

Underwood, L. J.: See Green, W. S., jt. auth.

V

van de Erve, J., Jr.: Clinical evaluation of topical fludrocortisone, 92

van der Meulen, H.: See Joe, L. K., jt. auth.

Vollmer, H.: Topical use of fludrocortisone acetate in allergic dermatitis, *300

W

Walik, S.: See Bluefarb, S. M., jt. auth.

Walsh, E. N.: See Sheilds, T. L., jt. auth.

Walsh, J. R.: See Bean, W. B., jt. auth.

Walton, R., and Aaron, J. N.: Case for diagnosis and therapy (porphyria cutanea tarda), 449

Wansker, B. A.: See Smith, J. G., Jr., jt. auth.

Webster, B.: See Hahn, R. D., jt. auth.

Webster, J.; Huff, S., and Gecht, M. L.: Sarcoidosis, 688

Weidman, A. I.; Zion, L. S., and Mamelok, A. E.: Alopecia areata occurring simultaneously in identical twins, 424

Weiner, M. A.: Shielding of skin against roentgen radiation: accurate method of making lead foil cutouts, *610

Trichophyton rubrum infection simulating creeping eruption: report of case, 677

West, G. B.: See Riley, J. F., jt. auth.

Wheeless, J.: See Beirne, G. A., jt. auth.

Williams, D. W.: See Wirtschafter, Z. T., jt. auth.

Wilson, J. W.: Multiple keratoacanthomata, 325

Ayres, S. III, and Luikart, R., II: Mixtures of fluorinated hydrocarbons as refrigerant anesthetic: hazard in use in surgical skin planing, 310

Winkelmann, R. K.; Kierland, R. R., and Montgomery, H.: Fox-Fordyce disease in male: review of literature and report of case, *479

Winkelmann, R. K.—Continued

and Montgomery, H.: Fox-Fordyce disease: histopathologic and histochemical investigation, *63

Wirtschafter, Z. T.; Gaulden, E. C., and Williams, D. W.: Cold allergy associated with cryoproteinemia, *302

Witkov, H. R.: Multiple myeloma with granuloma of leg, *484

Witten, V. H., and Sulzberger, M. B.: Psoriasis—unusual response following Atabrine, 210

Wolf, M.: Case for diagnosis: 1 Majocchi's disease? 2, recurrent summer ulcerations of legs and feet? (without livedo reticularis), 211

Wood, W. S.: See Pascher, F., jt. auth.

Wright, E. T., and Greco, D. J.: Pyoderma gangrenosum: report of case controlled by cortisone, *543

Z

Zackheim, H. S.: Juvenile xanthomas, 317

Zeligman, I.: Porphyrins, porphyrinuria, and porphyria, *33

Zimmerman, M.: See Steffen, C. G., jt. auth.

Zion, L. S.: See Weidman, A. I., jt. auth.

SUBJECT INDEX TO VOLUME 74

The following index contains an alphabetical list of significant subjects presented in this volume. Books reviewed are indexed alphabetically by title under the heading "Books." Obituaries are indexed under the heading "Deaths." Society transactions are listed under that heading, with individual papers indexed under appropriate headings. The word "case" enclosed in parentheses in an indexed entry indicates a case reported in society transactions.

A

Abrasions, therapeutic: See Planing
Abstracts, 207, 453, 576
Acanthosis nigricans: in pubic area (case), 107
Acne
  dermabrasion and anatomy of acne pit, 397
  localized, following deep x-ray therapy, 97
  surgery instrument, 96
Acrodermatitis continue (case), 328
Acrokeratosis verruciformis: case for diagnosis, 109
Acrylic materials: in artificial nails, dermatitis from, 141, 671
Adenocarcinoma: poikilodermatomyositis with (case), 321
Adiposis dolorosa (case), 332
Ainhum (case), 690
Albright's disease (case), 685
Alopecia areata: in identical twins, 424
Amodiaquin: for chronic lupus erythematosus, 384
Amputation: verrucous hyperplasia of stump (case), 448
Anemia
  congenital, in hereditary ectodermal dysplasia, 159
  sickle-cell (case), 448
Anesthetics
  local, diphenhydramine hydrochloride, 76
  refrigerant, fluorinated hydrocarbons, 310
Angiokeratoma (case), 437
Angioneurotic edema: unilateral exophthalmos from (case), 444
Anhidrosis: See Sweating disorders
Animals: cutaneous diseases of, 568
Aphthosis (case), 439
Apresoline: See Hydralazine
Aralen: for scleroderma (case), 435
Arsenic: actinic dermatitis with arsenical keratosis (case), 686
Atrophy: linear segmental, 411

B

Beard: pseudofolliculitis of, 533
Beryllium granuloma (case), 562
Beta radiation lesion, 663
Bloch-Sulzberger syndrome, 263
Blood
  hyperlipemia with renal failure due to systemic lupus erythematosus, 464
  hypogammaglobulinemia, exfoliative dermatitis with, 333
  red cell aplasia (case), 694
Books
  Atlas und Praktikum der Dermatologie und Venerologie (Burckhardt), 208
  Metabolism, Pharmacology and Therapeutic Uses of Gold Compounds (Block and Van Goor), 455
  Multiple Neurofibromatosis (Crowe, Shull, and Nell), 208
  1956 Medical Progress (Fishbein, ed.), 456
  Nonvenereal Diseases of Genitals (Callomon and Wilson), 455
  Rheumatoid Arthritis and Psoriasis Vulgaris (Benedek), 455
Bulkley, L. Duncan, 262
Buttocks: corns on, 202
Bynamid: for fungous infections, 504

C

Camoquin: See Amodiaquin
Cancer
  basal-cell (case), 113
  cutaneous, chemosurgical treatment, 659
  planing for precancerous skin, 312
Candida: new culture medium for, 678
Carcinoma: See Cancer
Carrots: sensitization dermatitis from, 149
Case for diagnosis, 104, 106
  acrokeratosis verruciformis, 109
  angioblastoma or endothelioma, 694
  granulomatous panniculitis, 100
  hot red mass on leg, 212
  hyperpigmentation, 215
  pemphigus vulgaris, 330
  sarcoid or giant-cell granuloma, 697
  sarcoidosis, 216
  spiradenoma or clear-cell hydradenoma, 565
  tuberculid, 110
  tuberculosis cutis or sarcoidosis, 566
  ulcerations of legs, 211
Chagas' disease: See Trypanosomiasis, American
Charcot joints: multiple (case), 106

Chicken pox: atypical, with varioloid-like rash, 338
Chloral hydrate: reactions to, 232
Chloroquine: vs. gold, for lupus erythematosus, 69
Chondrodermatitis helicis: local hydrocortisone for, 547
Coccidioidomycosis: primary cutaneous, 405
Cold: allergy to, with cryoproteinemia, 302
Colloid degeneration (case), 100
Contact dermatitis: See Dermatitis venenata
Corns: on buttocks, 202

CORRESPONDENCE
alcoholic heart extract in serodiagnosis of syphilis, 553
dermatology at University of Illinois, 552
hydrogen ion concentration in saliva, 314
stasis syndrome, 682

Cortisone
fludro-: See Fludrocortisone
hydro-: See Hydrocortisone

Cross-sensitization phenomenon, 149
Cryoproteinemia: with cold allergy, 302
Cytodiagnosis, 416

D

Depigmentation: acquired, around dilated pore, 549
Dermabrasion: See Planing
Dermatitis
acrodermatitis continue (case), 328
actinic, with arsenical keratosis (case), 686
allergic, topical use of fludrocortisone acetate in, 300
atopic: See Neurodermatitis
exfoliative, with hypogammaglobulinemia, 333
factitia, porphyria cutanea tarda simulating, 198
medicamentosa, from hydrocortisone suspension vehicle, 426
repens (case), 219
sabra (prickly pear), 269
seabather's, 293
sensitization, from carrots, 149
tropical, in rural zone, 115
venenata, from acrylic materials in artificial nails, 141, 671
venenata, from English ivy, 311

Dermatology
historical quiz, 452, 574
in Latin America, 648
at University of Illinois (correspondence), 552

Dermatomyositis, 581
Dermatophytosis
of feet, 200 cases, 306
trichophytin reaction after exposure to dermatophytes, 606

Dermatosis: tropical, occupational, 115
Diabetes mellitus: psoriasis and, 487
Diagnosis
cytodiagnosis, 416
hand in, 22

Diphenhydramine hydrochloride: as local anesthetic, 76
Duhring, Louis A., 130
Dyshidrosis: See Sweating disorders
Dysplasia
congenital anhidrotic ectodermal and mesodermal, 253
congenital ectodermal, with mesodermal defects (case), 327
hereditary ectodermal, congenital anemia in, 159

E

Eccrine poroma, 511
Elasticity: and hyperelasticity, of skin, 22
Epidermolysis bullosa (case), 114
Epithelioma
adenoides cysticum, with basal-cell carcinoma (case), 113
basal-cell, histogenesis, 286
basal-cell, in identical twins, 167
basal-cell, recurrent (case), 564
benign cystic (case), 315
multiple self-healing, 525
squamous-cell (case), 445, 446

Erythema
annulare centrifugum (case), 112
bullosum malignans, with severe ocular sequelae (case), 444
migratory (case), 213
with squamous-cell epithelioma (case), 214

F

Feet: dermatophytosis, 200 cases, 306
Fibrosarcoma: neurofibrosarcoma, 457
Finaf, 627
Fludrocortisone
topical, in allergic dermatitis, 300
topical, clinical evaluation, 92

Fluorinated hydrocarbons: in surgical planing, hazard of, 310
Folliculitis: pseudofolliculitis of beard, 533
Foreign-body granulomas, 128
Fox, George Henry, 348
Fox-Fordyce disease, 63
(case), 103
in male, 479

Fungous infection
Finaf for, 627
glyceryl triacetate for, 73
phenylsalicylamide derivative for 504

G

Gamma globulin: See under Blood
Glyceryl triacetate: for fungous infection, 73
Gold: vs. chloroquine, for lupus erythematosus, 69
Granuloma
annular (case), 213
annular, disseminated (case), 324
beryllium (case), 562
foreign-body, 128
foreign-body, or sarcoid (case), 687

Granuloma—Continued
of leg, with multiple myeloma, 484
nonspecific (case), 109
Granulomatosis
allergic (case), 318
disciform (case), 685

H

Hair
hyperkeratosis of heel from, 469
ringed (case), 325
splinters of, causing onycholysis, 430
Hand: as diagnostic aid, 22
Heel: hyperkeratosis, from hair, 469
Hemangioendothelioma, 144
Histamine, skin, 471
Hyde, James N., 612
Hydralazine: rheumatoid and lupus-erythematosus-like syndromes from, 640
Hydrocortisone
dermatitis from suspension vehicle, 426
hemisuccinate, intravenous, 613
local injections for chondrodermatitis helicis, 547
for localized myxedema, 352
ointment, 414

I

Illinois, University of: dermatology at (correspondence), 552
Incontinentia pigmenti, 263
(case), 102
Indonesia: mycosis from Basidiobolus ranarum in, 378
Ivy, English: dermatitis venenata from, 311

K

Keratoacanthoma
multiple (case), 325
multiple recurrent (case), 445
Keratosis
arsenical (case), 686
hyperkeratosis of heel from hair, 469
Kerion: of eyebrow, from Microsporum fulvum (case), 435
"Kissing bug" bite, 14
Koebner phenomenon: in relation to photosensitivity, 43

L

Latin America: dermatology in, 648
Leiomyoma: solitary angioleiomyoma, 389
Lentigenes (case), 691
Leucoderma acquisitum centrifugum (case), 328
Leukemia
chronic lymphocytic, healing pyoderm with (case), 693
ulcer of penis in, 428
Lichen chronicus simplex (case), 222, 223
Lichen myxedematosus: autopsy findings in, 259
Lichen nitidus: nevus unius lateris and (case), 316
Lichen planus: hypertrophic (case), 114, 563
Lichen scrofulosorum (case), 315
Light: polymorphic light eruptions, 40
Lupus erythematosus
chloroquine and gold for, comparison of, 69
discoid, chronic, amodiaquin for, 384
discoid, relapse after antimalrial drugs, 387
discoid, scars treated with plastic surgery (case), 219
hyperlipemia with renal failure from, 464
photosensitivity in, 40
profundus (case), 438
serum anticoagulant factor in, 296
systemic, histopathology of cutaneous lesions in, 177
systemic (case), 446
Lupus miliaris: disseminated, of face (case), 696
Lymphadenosis benigna cutis (case), 691
Lymphangioma circumscriptum (case), 689
Lymphedema: congenital unilateral (case), 689
Lymphoblastomas: cutaneous smears in, 86

M

MacKee, George Miller, Chair of Dermatology and Syphilology, 1
Mastectomy, radical: tuberous lymphangiectatic varices secondary to, 466
Melanogenuria: with melanotic skin lesions (case), 322
Melanoma
malignant, 618
malignant (case), 105
Melanosis
of legs and feet (case), 687
of unknown origin (case), 215
Melkersson-Rosenthal's syndrome (case), 440
Meningioma, cutaneous, 590
Menstruation: cutaneous changes during cycle, 493
Meprobramate: for anogenital pruritus, 393
8-Methoxypsoralen: for vitiligo, 9
Microsporum fulvum: kerion of eyebrow from (case), 435
Miltown: See Meprobramate
Molluscum contagiosum: eczematous reaction with, 344
Moniliasis: intertriginous, in Far East Command, 620
Morrow, Prince A., 470
Mycetoma, 80
Mycosis: subcutaneous, basidiobolus ranarum as cause in Indonesia, 378
Mycostatin: See Nystatin
Myeloma: multiple, with granuloma of leg, 484
Myxedema: localized, hydrocortisone for, 352

N

Nails (anatomic)
artificial, contact dermatitis from, 141
artificial, sensitivity to, 671
onycholysis from hair, 430
onychomadesis with psoriasis (cases), 217
onychomycosis due to Scopulariopsis brevicaulis, 241
protection during high-speed abrasion of, 95
Necrobiosis lipoidica, 280
asteroid bodies in, 276
Neurodermatitis
anger as factor (cases), 223
(case), 222, 223
mother-child relationship in genesis, 599
Neurofibrosarcoma, 457
Nevoxanthoendothelioma: disseminated (case), 320
Nevus
blue, malignant, 227
cellular blue, of Ota, 59
hairy, pigmented, in infant (case), 443
hairy, of scalp (case), 209
unius lateris, failure of dermabrasion in, 681
unius lateris, and lichen nitidus (case), 316
New, Newer, and Newest 99, 206, 308, 535, 555, 684
New York Skin and Cancer Unit, Dermatologic Service, 5
New York University-Bellevue Medical Center: MacKee Chair of Dermatology and Syphilology, 1
Nicotinic acid: local use of furfuryl ester of, 522
Norwegian scabies, 131
Nystatin: for vulvovaginitis, 489

O

Obituaries
Friedman, Reuben, 431
Martin, John Walter, 575
Ointment: prednisolone and hydrocortisone, 414
Onychomadesis: See under Nails (anatomic)
Onychomycosis: See under Nails (anatomic)
Osteoma cutis: primary, 204

P

Panniculitis: granulomatous (case), 100
Papillomatosis: cutaneous (case), 103
Patch tests: multiple, 667
Pemphigus
familial benign chronic (case), 329
vulgaris, 50
vulgaris (case), 330
Penicillin: for asymptomatic central nervous system syphilis, 355, 367
Penis: leukemic ulcer of, 428
Peutz-Jehgers syndrome (case), 218
Phenylsalicylamide derivative (Bynamid): for fungous infections, 504
Photosensitivity
in dermatoses, 40
Koebner phenomenon and, 43
phytophotodermatitis, 149
porphyrins, porphyrinuria, and porphyria, 33
protection of skin against sunlight, 46
Phytophotodermatitis, 149
Pigmentation
acquired depigmentation around dilated pore, 549
in Bloch-Sulzberger syndrome, 263
hyperpigmentation (cases), 215
incontinentia pigmenti, 102, 263
lentigenes (case), 691
melanogenuria with melanotic skin lesions (case), 322
Peutz-Jehgers syndrome (case), 218
Pityriasis rubra pilaris: in young siblings (case), 690
Planing
in acne, and anatomy of pit, 397
fluorinated hydrocarbons as anesthetic, hazard of, 310
of nails, protection during, 95
for precancerous skin, 312
with rasps, 615
Plasmacytoma: extramedullary, 679
Poikilodermatomyositis: with adenocarcinoma (case), 321
Porphyria cutanea tarda, (case), 560
case for diagnosis and therapy, 449
simulating dermatitis factitia, 198
Porphyrins: porphyrinuria, porphyria, and, 33
Postgraduate education, 190
Prednisolone
hemisuccinate, intravenous, 613
ointment, 414
Prickly pear: dermatitis from handling, 269
Prurigo nodularis (case), 221
Pruritus: anogenital, meprobramate as adjunct in treatment, 393
Psammoma, 590
Pseudocanthosis nigricans: with obesity and endocrine dysfunction (case), 209
Psoriasis
arthropathic (case), 686
diabetes mellitus and, 487
erythrodermic, in children, 173
onychomadesis of thumb with (cases), 217
riboflavin in, 548
unusual response following atabrine (case), 210
vulgaris (case), 556
Pyoderma
gangrenosum, 543
gangrenosum, secondary to insect bite (case), 220
healing, with chronic lymphocytic leukemia (case), 693

Q

Quiz, historical, in dermatology, 452, 574

R

Radiation
beta, lesion from, 663
x-ray: See X-rays
Reiter's disease (case), 330
Riboflavin: in psoriasis, 548
Rodent ulcer: See Epithelioma, basal-cell
Rosacea: with ocular manifestations (case), 695

S

Saccharin: urticaria from (case), 433
Saliva: hydrogen ion concentration in (correspondence), 314
Sarcoid
or foreign-body granuloma (case), 687
Spiegler-Fendt, 669
Sarcoidosis
(case), 216, 688, 697
tuberculosis causation (case), 434
Sarcoma
Kaposi's (case), 442
reticulum-cell (case), 436
Scabies: Norwegian, 131
SCIENTIFIC EXHIBITS
new uses for surface-active agents, 699
Scleroderma
Aralen for (case), 435
localized, 629
Seabather's eruption, 293
Sjögren's syndrome (case), 226
Skin: elasticity and hyperelasticity of, 22
Skin tests: multiple patch, 667
Society news
American Dermatological Association, Inc., 308, 366, 684
American Medical Association, 206
Chicago Medical Society, 99
Ibero-Latin-American Congress of Dermatology, 313
Minnesota Dermatological Society, 555
Pacific Dermatological Association, 308
Society of Cosmetic Chemists, 99
Wisconsin State Medical Society, 99
SOCIETY TRANSACTIONS
Bronx Dermatological Society, 209, 433, 685
Chicago Dermatological Society, 213, 687
Cleveland Dermatological Society, 220
Detroit Dermatological Society, 315
Los Angeles Dermatological Society, 321, 325
Metropolitan Dermatological Society of Los Angeles, 556
Metropolitan Dermatological Society of New York, 327, 563
New England Dermatological Society, 329
New York Academy of Medicine, Section of Dermatology and Syphilology, 564
New York Dermatological Society, 100, 440, 694
Philadelphia Dermatological Society, 102, 568
San Francisco Dermatological Society, 109, 332, 448
Stasis syndrome (correspondence), 682
Sulzberger, Marion B.: acceptance of MacKee Chair of Dermatology and Syphilology, 2
Sunlight
polymorphic light eruptions, 40
protection of skin against harmful effects, 46
urticaria from, 40
Surface-active agents: new uses (scientific exhibit), 699
Sweat glands: eccrine poroma, 511
Sweating disorders
congenital anhidrotic ectodermal and mesodermal dysplasia, 253
dyshidrosis in monozygotic twins, 250
Syphilis
alcoholic heart extract in serodiagnosis (correspondence), 553
asymptomatic, of central nervous system, penicillin for, 355, 367
tertiary nodulosyphiloderm (case), 557

T

Tinea capitis: incidence and etiology, 349
Triacetin: See Glyceryl triacetate
Triatoma sanguisuga: bite of, 14
Trichophytin reaction: after exposure to dermatophytes, 606
Trichophyton
gallinae, infection in human, 191
rubrum, infection simulating creeping eruption, 677
Tropical dermatoses; occupational, in rural zone, 115
Trypanosomiasis, American: "kissing bug" bite in relation to, 14
Tuberculid
case for diagnosis, 110
macropapular (case), 316
Tuberculoderm: of face (case), 435
Tuberculosis: verrucosa cutis (case), 441
Twins, identical
rodent ulcers in, 167
simultaneous alopecia areata in, 424
simultaneous dyshidrosis in, 250

U

Ulcer: rodent, in identical twins, 167
Urine: melanogenuria with melanotic skin lesions (case), 322
Urticaria
pigmentosa, with bone changes, 676
pigmentosa (case), 209
from saccharin (case), 433
solar, 40

V

Varices: lymphangiectatic, secondary to radical mastectomy, 466
Vasculitis
allergic cutaneous, 595
nodular, 673
nodular, with hypertension, 245
Venous lakes, 459
Vitiligo
8-methoxypsoralen for, 9
perinevoid (case), 328
Vulvovaginitis, yeast: nystatin for, 489

W

White, James Clarke, 8

X

Xanthoma
juvenile (case), 317
tuberosum multiplex, familial (case), 440
Xeroderma pigmentosum (case), 112, 221
X-rays
acne following deep therapy, 97
shielding skin against, 610

UMI